







ABS - / Melamin - Kanten-Abmessungen im ( mm )

<b>Funder-Max 0319 FH</b>	23x2	33x2	45x2						ABS-Dickkanten (mm)	<b>Funder-Max 0319 FH</b>
									Melamin-Kanten (mm)	
									ABS-Dünnkanten (mm)	

<b>Funder-Max 0329 FH</b>	23x2	33x2	45x2						ABS-Dickkanten (mm)	<b>Funder-Max 0329 FH</b>
									Melamin-Kanten (mm)	
									ABS-Dünnkanten (mm)	

<b>Funder-Max 0336 FH</b>	23x2	33x2	45x2						ABS-Dickkanten (mm)	<b>Funder-Max 0336 FH</b>
									Melamin-Kanten (mm)	
									ABS-Dünnkanten (mm)	

<b>Funder-Max 0340 SM</b>									ABS-Dickkanten (mm)	<b>Funder-Max 0340 SM</b>
	24	33	45						Melamin-Kanten (mm)	
									ABS-Dünnkanten (mm)	

<b>Funder-Max 0408 SM</b>									ABS-Dickkanten (mm)	<b>Funder-Max 0408 SM</b>
	24	33	45						Melamin-Kanten (mm)	
									ABS-Dünnkanten (mm)	

<b>Funder-Max 0413 PO</b>	23x2	33x2							ABS-Dickkanten (mm)	<b>Funder-Max 0413 PO</b>
									Melamin-Kanten (mm)	
									ABS-Dünnkanten (mm)	

<b>Funder-Max 0420 PO</b>									ABS-Dickkanten (mm)	<b>Funder-Max 0420 PO</b>
	24	33	45						Melamin-Kanten (mm)	
									ABS-Dünnkanten (mm)	

<b>Funder-Max 0468 PO</b>									ABS-Dickkanten (mm)	<b>Funder-Max 0468 PO</b>
									Melamin-Kanten (mm)	
	23x0,5								ABS-Dünnkanten (mm)	

<b>Funder-Max 0504 PO</b>	23x2								ABS-Dickkanten (mm)	<b>Funder-Max 0504 PO</b>
	24	33	45						Melamin-Kanten (mm)	
									ABS-Dünnkanten (mm)	

<b>Funder-Max 0591 FH</b>	23x2								ABS-Dickkanten (mm)	<b>Funder-Max 0591 FH</b>
									Melamin-Kanten (mm)	
									ABS-Dünnkanten (mm)	

<b>Funder-Max 0606 FH</b>	23x1	23x2	33x2	45x2					ABS-Dickkanten (mm)	<b>Funder-Max 0606 FH</b>
	24	33	45						Melamin-Kanten (mm)	
									ABS-Dünnkanten (mm)	

<b>Funder-Max 0651 FH</b>									ABS-Dickkanten (mm)	<b>Funder-Max 0651 FH</b>
	24	33	45						Melamin-Kanten (mm)	
									ABS-Dünnkanten (mm)	

ABS - / Melamin - Kanten-Abmessungen im ( mm )

<b>Funder-Max 0657 FH</b>	23x2	33x2	45x2						ABS-Dickkanten (mm)	<b>Funder-Max 0657 FH</b>
									Melamin-Kanten (mm)	
									ABS-Dünnkanten (mm)	

<b>Funder-Max 0681 MT</b>	23x1	23x2	33x1	33x2	45x1	45x2	54x2		ABS-Dickkanten (mm)	<b>Funder-Max 0681 MT</b>
	24	33	45						Melamin-Kanten (mm)	
	23x0,5								ABS-Dünnkanten (mm)	

<b>Funder-Max 0687 FH</b>									ABS-Dickkanten (mm)	<b>Funder-Max 0687 FH</b>
	24	33	45						Melamin-Kanten (mm)	
									ABS-Dünnkanten (mm)	

<b>Funder-Max 0730 FH</b>									ABS-Dickkanten (mm)	<b>Funder-Max 0730 FH</b>
	24	33	45						Melamin-Kanten (mm)	
									ABS-Dünnkanten (mm)	

<b>Funder-Max 0733 FH</b>	23x2	33x2							ABS-Dickkanten (mm)	<b>Funder-Max 0733 FH</b>
	24	33	45						Melamin-Kanten (mm)	
									ABS-Dünnkanten (mm)	

<b>Funder-Max 0741 FH</b>									ABS-Dickkanten (mm)	<b>Funder-Max 0741 FH</b>
	24	33	45						Melamin-Kanten (mm)	
									ABS-Dünnkanten (mm)	

<b>Funder-Max 0742 FH</b>	23x2	33x2	45x2						ABS-Dickkanten (mm)	<b>Funder-Max 0742 FH</b>
									Melamin-Kanten (mm)	
									ABS-Dünnkanten (mm)	

<b>Funder-Max 0759 FH</b>	23x1	23x2	33x2	45x2					ABS-Dickkanten (mm)	<b>Funder-Max 0759 FH</b>
									Melamin-Kanten (mm)	
									ABS-Dünnkanten (mm)	

<b>Funder-Max 0789 FH</b>									ABS-Dickkanten (mm)	<b>Funder-Max 0789 FH</b>
	24	33	45						Melamin-Kanten (mm)	
									ABS-Dünnkanten (mm)	

<b>Funder-Max 0851 FH</b>	23x2								ABS-Dickkanten (mm)	<b>Funder-Max 0851 FH</b>
	24	33	45						Melamin-Kanten (mm)	
									ABS-Dünnkanten (mm)	

<b>Funder-Max 0851 SG</b>	23x1	23x2							ABS-Dickkanten (mm)	<b>Funder-Max 0851 SG</b>
									Melamin-Kanten (mm)	
									ABS-Dünnkanten (mm)	

<b>Funder-Max 0877 SU</b>									ABS-Dickkanten (mm)	<b>Funder-Max 0877 SU</b>
	24	33	45						Melamin-Kanten (mm)	
									ABS-Dünnkanten (mm)	

ABS - / Melamin - Kanten-Abmessungen im ( mm )

<b>Funder-Max 1203 FH</b>	23x1	23x2	33x1	33x2	45x1	45x2			ABS-Dickkanten (mm)	<b>Funder-Max 1203 FH</b>
	24	33	45						Melamin-Kanten (mm)	
									ABS-Dünnkanten (mm)	

<b>Funder-Max 1210 FH</b>	23x2	33x2	45x2						ABS-Dickkanten (mm)	<b>Funder-Max 1210 FH</b>
									Melamin-Kanten (mm)	
									ABS-Dünnkanten (mm)	

<b>Funder-Max 1258 SF</b>	23x1	23x2	33x1	33x2	45x1	45x2			ABS-Dickkanten (mm)	<b>Funder-Max 1258 SF</b>
									Melamin-Kanten (mm)	
									ABS-Dünnkanten (mm)	

<b>Funder-Max 1300 FH</b>									ABS-Dickkanten (mm)	<b>Funder-Max 1300 FH</b>
	24	33	45						Melamin-Kanten (mm)	
									ABS-Dünnkanten (mm)	

<b>Funder-Max 1471 SM</b>	23x2	33x2							ABS-Dickkanten (mm)	<b>Funder-Max 1471 SM</b>
	24	33	45						Melamin-Kanten (mm)	
									ABS-Dünnkanten (mm)	

<b>Funder-Max 1490 FH</b>	23x2	33x2	45x2						ABS-Dickkanten (mm)	<b>Funder-Max 1490 FH</b>
									Melamin-Kanten (mm)	
									ABS-Dünnkanten (mm)	

<b>Funder-Max 1630 FH</b>	23x1	23x2	26x2	28x2	33x1	33x2	45x1	45x2	ABS-Dickkanten (mm)	<b>Funder-Max 1630 FH</b>
	24	33	45						Melamin-Kanten (mm)	
	23x0,5	23x0,8							ABS-Dünnkanten (mm)	

<b>Funder-Max 1630 MT</b>	23x1	23x2	33x1	33x2	45x1	45x2	54x2		ABS-Dickkanten (mm)	<b>Funder-Max 1630 MT</b>
	24	33	45						Melamin-Kanten (mm)	
	23x0,05								ABS-Dünnkanten (mm)	

<b>Funder-Max 1630 SF</b>	23x1	23x2	33x1	33x2	45x1	45x2	54x2		ABS-Dickkanten (mm)	<b>Funder-Max 1630 SF</b>
	24	33	45						Melamin-Kanten (mm)	
	23x0,05	23x0,8							ABS-Dünnkanten (mm)	

<b>Funder-Max 184 PO</b>									ABS-Dickkanten (mm)	<b>Funder-Max 184 PO</b>
	24	33	45						Melamin-Kanten (mm)	
									ABS-Dünnkanten (mm)	

<b>Funder-Max 271</b>									ABS-Dickkanten (mm)	<b>Funder-Max 271</b>
	24	33	45						Melamin-Kanten (mm)	
									ABS-Dünnkanten (mm)	

<b>Funder-Max M 001</b>	23x1	23x2	33x1	33x2	45x1	45x2			ABS-Dickkanten (mm)	<b>Funder-Max M 001</b>
	24	33	45						Melamin-Kanten (mm)	
									ABS-Dünnkanten (mm)	

ABS - / Melamin - Kanten-Abmessungen im ( mm )

**Funder-Max  
M 003**

23x2	33x2	45x2					
24	33	45					

ABS-Dickkanten (mm)

Melamin-Kanten (mm)

ABS-Dünnkanten (mm)

**Funder-Max  
M 003**